

L Number	Hits	Search Text	DB	Time stamp
-	809	345/204.ccls.	USPAT;	2003/03/01
-	1	5,532,712.pn.	EPO; JPO	15:43
-	277	drive adj circuit and transmissive and liquid adj crystal adj display	USPAT;	2003/02/26
-	1	drive adj circuit and transmissive adj scattered and liquid adj crystal adj display	EPO; JPO	11:47
-	15	drive adj circuit and transmissive and liquid adj crystal adj display and ambient adj temperature	USPAT;	2003/02/26
-	101079	liquid adj crystal adj display	EPO; JPO	11:59
-	0	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT;	2003/02/26
-	4	liquid adj crystal adj display and charge adj characteristic and compensate	EPO; JPO	12:00
-	0	liquid adj crystal adj display and charge adj characteristic and compensate adj circuit	USPAT;	2003/03/03
-	4	liquid adj crystal adj display and charge adj characteristic and compensate and circuit	EPO; JPO	09:37
-	3	liquid adj crystal adj display and charge adj characteristic and compensate and circuit and ambient	USPAT;	2003/03/02
-	3	liquid adj crystal adj display and charge adj characteristic and compensate and circuit and ambient adj temperature	EPO; JPO	14:49
-	15	liquid adj crystal adj display and charge adj characteristic	USPAT;	2003/02/26
-	0	liquid adj crystal adj display and charge adj characteristic and gate adj control	EPO; JPO	12:48
-	0	liquid adj crystal adj display and charge adj characteristic and scanline adj control	USPAT;	2003/02/26
-	2	liquid adj crystal adj display and charge adj characteristic and gate and control and temperature	EPO; JPO	12:49
-	2	345/87.ccls. and temperature adj ambient	USPAT;	2003/02/26
-	3	liquid adj crystal adj display and charge adj characteristic and gate and control	EPO; JPO	12:49
-	253	345/87.ccls. and temperature	USPAT;	2003/02/26
-	14378	345/87.ccls. and temperature and switch and control scan adj line	EPO; JPO	12:50
-	7	345/87.ccls. and temperature and switch and control and scan adj line	USPAT;	2003/02/26
-	5	345/204.ccls. and temperature and switch and control and scan adj line	EPO; JPO	13:03
-	117	gate adj line adj driver	USPAT;	2003/02/26
-	0	gate adj line adj driver and current adj controller	EPO; JPO	13:04
-	24	gate adj line adj driver and current and controller	USPAT;	2003/02/26
-	1	gate adj line adj driver and current and controller and respond and temperature and change	EPO; JPO	13:05
-	3	gate adj line adj driver and current and controller and respond	USPAT;	2003/02/26
-	1	gate adj line adj driver and current and controller and respond and temperature	EPO; JPO	13:08
-	20	gate adj line adj driver and change and temperature	USPAT;	2003/02/26
-	2	gate adj line adj driver and change adj temperature	EPO; JPO	13:11

-	0	gate adj line adj driver adj respond adj	USPAT;	2003/02/26
-	0	change adj temperature	EPO; JPO	14:56
-	0	gate adj line adj driver and respond adj	USPAT;	2003/02/26
-	56	change adj temperature	EPO; JPO	14:56
-	2	respond adj change adj temperature	USPAT;	2003/02/26
-	2	respond adj change adj temperature and	EPO; JPO	14:56
-	4115	current adj controller	USPAT;	2003/02/26
-	2	current adj controller	EPO; JPO	15:00
-	2	current adj controller and respond adj	USPAT;	2003/02/26
-	0	change adj temperature	EPO; JPO	15:02
-	0	current adj controller adj respond adj	USPAT;	2003/02/26
-	0	(change adj temperature)	EPO; JPO	15:03
-	81	current adj controller adj respond and	USPAT;	2003/02/26
-	1	(change adj temperature)	EPO; JPO	15:03
-	1	current adj controller and (change adj	USPAT;	2003/02/26
-	1	temperature)	EPO; JPO	15:04
-	1	5,754,154.pn.	USPAT;	2003/02/27
-	1	5,852,430.pn.	EPO; JPO	13:26
-	1	6,075,511.pn.	USPAT;	2003/02/27
-	1	6,313,818 B1.pn.	EPO; JPO	13:27
-	2	345/94-101.ccls. and temperature adj	USPAT;	2003/02/27
-	927	detection and current adj detection	EPO; JPO	13:28
-	157	345/97.ccls.	USPAT;	2003/02/27
-	156	345/97.ccls. and current controller and	EPO; JPO	13:28
-	0	resistor and thermistor and TFT	USPAT;	2003/02/27
-	0	345/97.ccls. and current controller and	EPO; JPO	13:28
-	0	resistor and thermistor and TFT and	USPAT;	2003/02/27
-	0	transistor	EPO; JPO	13:28
-	0	345/97.ccls. and current adj controller	USPAT;	2003/02/27
-	0	and resistor and thermistor and TFT and	EPO; JPO	13:31
-	0	transistor	USPAT;	2003/03/01
-	0	345/97.ccls. and current adj controller	EPO; JPO	15:44
-	0	and resistor and thermistor and	USPAT;	2003/03/01
-	0	transistor	EPO; JPO	15:44
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-	0	and resistor and thermistor and	EPO; JPO	15:44
-	0	transistor	USPAT;	2003/03/01
-	0	345/97.ccls. and current adj controller	EPO; JPO	15:45
-	0	and resistor and thermistor and	USPAT;	2003/03/01
-	0	transistor	EPO; JPO	15:45
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-	0	and resistor and thermistor and TFT and	EPO; JPO	15:45
-	0	transistor	USPAT;	2003/03/01
-	0	345/97.ccls. and controller and resistor	EPO; JPO	15:46
-	0	and thermistor and TFT and transistor	USPAT;	2003/03/01
-	0	345/97.ccls. and controller and resistor	EPO; JPO	15:46
-	2	and thermistor and transistor	USPAT;	2003/03/01
-	0	345/97.ccls. and controller and resistor	EPO; JPO	15:46
-	0	and transistor	USPAT;	2003/03/01
-	0	345/97.ccls. and controller and resistor	EPO; JPO	15:46
-	0	and transistor and thermistor	USPAT;	2003/03/01
-	0	current adj controller and resistor and	EPO; JPO	15:46
-	50	thermistor and TFT and transistor	USPAT;	2003/03/01
-	0	current adj controller and resistor and	EPO; JPO	15:47
-	0	thermistor and transistor	USPAT;	2003/03/01
-	0	current adj controller and resistor and	EPO; JPO	15:48
-	0	thermistor and transistor and LCD	USPAT;	2003/03/01
-	0	current adj controller and resistor and	EPO; JPO	15:47
-	1326	thermistor and transistor and liquid adj	USPAT;	2003/03/01
-	1326	crystal adj display	EPO; JPO	15:47
-	1326	controller and resistor and transistor	USPAT;	2003/03/01
-	1326	and thermistor	EPO; JPO	15:48

-	50	current adj controller and resistor and thermistor and transistor and temperature	USPAT; EPO; JPO	2003/03/01 15:48
-	50	current adj controller and resistor and thermistor and transistor and temperature and voltage	USPAT; EPO; JPO	2003/03/01 15:55
-	20	current adj controller and resistor and thermistor and transistor and temperature and voltage and display	USPAT; EPO; JPO	2003/03/01 15:48
-	0	current adj controller and resistor and thermistor and transistor and temperature and voltage and display and liquid adj crystal	USPAT; EPO; JPO	2003/03/01 15:49
-	20	current adj controller and resistor and thermistor and transistor and temperature and voltage and display	USPAT; EPO; JPO	2003/03/01 15:49
-	0	current adj controller and resistor and thermistor and matrix and TFT and temperature and voltage	USPAT; EPO; JPO	2003/03/01 15:56
-	3	current adj controller and resistor and thermistor and matrix and temperature and voltage	USPAT; EPO; JPO	2003/03/01 15:57
-	0	current adj controller and resistor and thermistor and matrix and gate and source and drain and voltage	USPAT; EPO; JPO	2003/03/01 15:57
-	0	current adj controller and resistor and thermistor and matrix and gate and source and drain	USPAT; EPO; JPO	2003/03/01 15:57
-	93	resistor and thermistor and matrix and gate and source and drain	USPAT; EPO; JPO	2003/03/01 15:58
-	415	resistor and thermistor and LCD	USPAT; EPO; JPO	2003/03/01 15:58
-	0	resistor and thermistor and LCD and gate adj control	USPAT; EPO; JPO	2003/03/01 15:58
-	220	resistor and thermistor and LCD and gate and control	USPAT; EPO; JPO	2003/03/03 08:24
-	111	resistor and thermistor and LCD and gate and control and drain	USPAT; EPO; JPO	2003/03/01 15:59
-	6	resistor and thermistor and LCD and gate and control and drain and source and pixels	USPAT; EPO; JPO	2003/03/03 10:29
-	2	resistor and thermistor and LCD and gate and control and matrix and TFT	USPAT; EPO; JPO	2003/03/01 16:09
-	2	resistor and thermistor and LCD and matrix and TFT	USPAT; EPO; JPO	2003/03/01 16:09
-	107	resistor and thermistor and LCD and gate and control and drain and source	USPAT; EPO; JPO	2003/03/02 14:35
-	4	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT; EPO; JPO	2003/03/02 14:50
-	0	liquid adj crystal adj display and charge adj characteristic and compensate and thermistor	USPAT; EPO; JPO	2003/03/02 14:50
-	0	liquid adj crystal adj display and charge adj characteristic and compensate and temperature adj control	USPAT; EPO; JPO	2003/03/02 14:51
-	5	liquid adj crystal adj display and charge adj characteristic and gate	USPAT; EPO; JPO	2003/03/02 15:07
-	0	liquid adj crystal adj display and charge adj characteristic adj compensator	USPAT; EPO; JPO	2003/03/02 15:49
-	0	liquid adj crystal adj display and charge adj characteristic adj compensate	USPAT; EPO; JPO	2003/03/02 15:49
-	4	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT; EPO; JPO	2003/03/02 15:50
-	10	resistor and thermistor and positive adj temperature adj coefficient and LCD and gate and control	USPAT; EPO; JPO	2003/03/03 07:52
-	0	thermistor and LCD and gate and control and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:26
-	0	thermistor and LCD and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:25

Search History 3/5/03 10:34:39 AM Page 3

C:\APPS\east\workspaces\09742383 charge characteristic compensating circuit for liquid crystal di

-	1860	thermistor and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:26
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:26
-	0	thermistor and LCD and gate and control and positive adj temperature adj coefficient and 345/\$	USPAT; EPO; JPO	2003/03/03 08:26
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:33
-	13916509	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor	USPAT; EPO; JPO	2003/03/03 08:33
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor	USPAT; EPO; JPO	2003/03/03 08:33
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor and parallel	USPAT; EPO; JPO	2003/03/03 08:34
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor and parallel and switch	USPAT; EPO; JPO	2003/03/03 08:34
-	12	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 10:09
-	0	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor and active adj matrix	USPAT; EPO; JPO	2003/03/03 10:10
-	0	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor and TFT	USPAT; EPO; JPO	2003/03/03 10:10
-	0	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor and gate adj control	USPAT; EPO; JPO	2003/03/03 10:11
-	0	resistor and thermistor and LCD and gate and control and drain and source and pixels and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 10:30
-	12	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:24
-	237	320/116.ccls.	USPAT; EPO; JPO	2003/03/03 14:24
-	0	320/116.ccls. and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:26
-	1	320/116.ccls. and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:27
-	1	320/116,128.ccls. and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:28
-	33	batteries and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:28
-	3	batteries and positive adj temperature adj coefficient adj thermistor and LCD	USPAT; EPO; JPO	2003/03/03 14:28
-	0	011273973A	USPAT; EPO; JPO	2003/03/04 09:06
-	0	11273973A	USPAT; EPO; JPO	2003/03/04 09:06
-	13912690	"11273973" A	USPAT; EPO; JPO	2003/03/04 09:12
-	1	"11273973"	JPO	2003/03/04 09:13
-	0	JP011273973A	JPO	2003/03/04 09:18
-	1	jp-01127973-\$\$.did.	JPO	2003/03/04 09:18